# Why pursue the energy frontier?

A personal take



Robin Erbacher, UC Davis
BNL Snowmass EF Workshop -- April 4, 2013

#### Energy Frontier: personal herstory

 As a postdoc I moved from spin structure functions to energy frontier physics... never looked back.

#### Energy Frontier: personal herstory

- As a postdoc I moved from spin structure functions to energy frontier physics... never looked back.
- To me, the story is compelling and has kept my interest in the field alive:

#### Energy Frontier: personal herstory

- As a postdoc I moved from spin structure functions to energy frontier physics... never looked back.
- To me, the story is compelling and has kept my interest in the field alive:
- I've worked on and continue to work on exciting and pressing questions (in order):
  - top measurements, top searches, 4th gen, heavy T
  - top Afb, SM Higgs, first collider dark matter
  - boosted top: Z'/KK resonances, 4th gen, vector-like quark partners

## Why continue to do physics at the energy frontier?

I) there is a Higgs at ~126 GeV

- 1) there is a Higgs at ~126 GeV
- 2) there is **not** a forest of new SUSY states or other new particles uncovered (yet)


- 1) there is a Higgs at ~126 GeV
- 2) there is **not** a forest of new SUSY states or other new particles uncovered (yet)
- 3) there is dark matter

### 1) there is a Higgs at ~126 GeV


- low mass: LHC can measure its properties and couplings pretty well
  - ★ But absolutely need high luminosity LHC!

### 1) there is a Higgs at ~126 GeV

- low mass: LHC can measure its properties and couplings pretty well
  - ★ But absolutely need high luminosity LHC!
- however, to really understand this Higgs and EWSB, need to probe couplings more precisely: lepton collider! (Is this true?)




#### Planck!




#### 1) there is a Higgs at ~126 GeV

- low mass: LHC can measure its properties and couplings pretty well
  - ★ But absolutely need high luminosity LHC!
- however, to really understand this Higgs and EWSB, need to probe couplings more precisely: lepton collider!
- top + Higgs = meta-stable universe? (only if no new physics in intermediate scales)

#### meta-stable universe?



#### meta-stable universe?





**Annie Hall** 

Mom: "Tell the doctor why you are depressed, Alvie."

Alvie: "Well the universe is everything, and if it is expanding, someday it will break apart and that will be the end of everything.

Mom: "You're here in Brookhaven. Brookhaven is not expanding!"

#### 1) there is a Higgs at ~126 GeV

- low mass: LHC can measure its properties and couplings pretty well
  - ★ But absolutely need high luminosity LHC!
- however, to really understand this Higgs and EWSB, need to probe couplings more precisely: lepton collider!
- top + Higgs = meta-stable universe? (only if no new physics in intermediate scales)
- still, we need more precise top mass (and top couplings) than EWK fits require

• We still have a hierarchy problem to solve!

- We still have a hierarchy problem to solve!
  - Precision Higgs studies may explain EWSB, but then what explains the Higgs?

- We still have a hierarchy problem to solve!
  - Precision Higgs studies may explain EWSB, but then what explains the Higgs?
- We may begin to find things at 13 TeV

- We still have a hierarchy problem to solve!
  - Precision Higgs studies may explain EWSB, but then what explains the Higgs?
- We may begin to find things at 13 TeV
  - SUSY? UED (PAMELA and AMS)? DM? Partners to stabilize Higgs mass?

- We still have a hierarchy problem to solve!
  - Precision Higgs studies may explain EWSB, but then what explains the Higgs?
- We may begin to find things at 13 TeV
  - SUSY? UED (PAMELA and AMS)? DM? Partners to stabilize Higgs mass?
- If we don't find irregularities at 13 TeV:
  - We still have a hierarchy problem to solve!

- If we don't find irregularities at 13 TeV:
  - We still have a hierarchy problem to solve!

- If we don't find irregularities at 13 TeV:
  - We still have a hierarchy problem to solve!
  - There is a Higgs! So finding nothing doesn't mean there isn't anything, just that we haven't reached the right energy to see it, and/or not easy to find.

- If we don't find irregularities at 13 TeV:
  - We still have a hierarchy problem to solve!
  - There is a Higgs! So finding nothing doesn't mean there isn't anything, just that we haven't reached the right energy to see it, and/or not easy to find.
  - New physics very likely within VLHC reach: eg: "warped models(a)" (arXiv: 1303.5056), eg: "simply unnatural SUSY(b)" (arXiv: 1212.6971), "unsplit SUSY(c)" (Dine et al), and... of course... there is dark matter!

- (a) Soni, and references therein
- (b) Arkani-Hamed, Gupta, Kaplan, Weiner, Zoraski
- (c) work in progress, see Dine's intro talk

## we're gonna need a bigger helicopter



#### 3) there is dark matter

 we know there is dark matter, and a weakly interacting particle at a few hundred GeV fits nicely.

#### 3) there is dark matter

- we know there is dark matter, and a weakly interacting particle at a few hundred GeV fits nicely.
- eg: SUSY solves dark matter and hierarchy problem.

#### 3) there is dark matter

- we know there is dark matter, and a weakly interacting particle at a few hundred GeV fits nicely.
- eg: SUSY solves dark matter and hierarchy problem.
- until we produce and detect weakly interacting DM in the lab we won't understand what the right theory is. (if WIMP)

## Why do we need the energy frontier?

## Why do we need the energy frontier?

 discoveries we hope to make on the intensity frontier and on the cosmic frontier might mainly be indirect.

## Why do we need the energy frontier?

- discoveries we hope to make on the intensity frontier and on the cosmic frontier might mainly be indirect.
- our goal at the energy frontier is nothing less than to produce and detect whatever new particles lie beyond the SM directly, and to explain EWSB and dark matter.

#### FIN

Thanks to Kaustubh Agashe and John Conway for their interesting discussions on these topics.

#### aside: Lepton collider

- linear or circular? question for Snowmass (or I3 TeV), but should allow for ttH
- right now my prejudice says should be scalable to at least ~few TeV
- should we build the design we have inhand now? or try and build a two-fer? (2-for-1: lepton collider in a future circular pp tunnel)